

L'Explorateur, volume 25, numéro 3, octobre 2015

NUTRITION

Les probiotiques en santé buccale : mythe ou réalité?

Références

1. Parvez S, Malik OKA, Ah Kang S, Kim HY. Probiotics and their fermented food products are beneficial for health. *J Appl Microbiol*. 2006;100(6):1171-85.
2. de Vrese M, Schrezenmeir J. Probiotics, prebiotics, and synbiotics. *Adv Biochem Eng Biotechnol*. 2008;111:1-66.
3. Gueimonde M, Salminen S. New methods for selecting and evaluating probiotics. *Dig Liver Dis*. 2006;38(Suppl 2):S242-7.
4. Food and Health Agricultural Organization of the United Nations and World Health Organization. Guidelines for the evaluation of probiotics in food. Joint FAO/WHO working Group Report on Drafting Guidelines for the Evaluation of Probiotics in Food. 2002. Available: [ftp://ftp.fao.org/es/esn/food/wgreport2.pdf](http://ftp.fao.org/es/esn/food/wgreport2.pdf) (accessed 2009 Aug. 31).
5. Sanders ME. Probiotics: definition, sources, selection, and uses. *Clin Infect Dis*. 2008;46 Suppl 2:S58-61; discussion S144-51.
6. Reid G, Jass J, Sebulsy MT, McCormick JK. Potential uses of probiotics in clinical practice. *Clin Microbiol Rev*. 2003;16(4):658-72.
7. Meurman JH. Probiotics: do they have a role in oral medicine and dentistry? *Eur J Oral Sci*. 2005;113(3):188-96.
8. Erickson KL, Hubbard NE. Probiotic immunomodulation in health and disease. *J Nutr*. 2000;130(2S Suppl):403S-409S.
9. Meurman JH, Stamatova I. Probiotics: contributions to oral health. *Oral Dis*. 2007;13(5):443-51.
10. Comelli EM, Guggenheim B, Stingle F, Neeser JR. Selection of dairy bacterial strains as probiotics for oral health. *Eur J Oral Sci*. 2002;110(3):218-24.
11. Teanpaisan R, Dahlen G. Use of polymerase chain reaction techniques and sodium dodecyl sulfate-polyacrylamide gel electrophoresis for differentiation of oral *Lactobacillus* species. *Oral Microbiol Immunol*. 2006;21(2):79-83.
12. Näse L, Hatakka K, Savilahti E, Saxelin M, Pönkä A, Poussa T, et al. Effect of long-term consumption of a probiotic bacterium, *Lactobacillus rhamnosus* GG, in milk on dental caries and caries risk in children. *Caries Res* 2001;35(6):412-20.

13. Sookkhee S, Chulasiri M, Prachyabrued W. Lactic acid bacteria from healthy oral cavity of Thai volunteers: inhibition of oral pathogens. *J Appl Microbiol.* 2001;90(2):172-9.
14. Björkroth KJ, Schillinger U, Geisen R, Weiss N, Hoste B, Holzapfel WH, et al. Taxonomic study of *Weissella confusa* and description of *Weissella cibaria* sp. Nov., detected in food and clinical samples. *Int J Syst Evol Microbiol.* 2002;52(Pt 1):141-8.
15. Kang MS, Kim BG, Chung J, Lee HC, Oh JS. Inhibitory effect of *Weissella cibaria* isolates on the production of volatile sulphur compounds. *J Clin Periodontol.* 2006;33(3):226-32.
16. Srionnual S, Yanagida F, Lin LH, Hsiao KN, Chen YS. Weissellicin 110, a newly discovered bacteriocin from *Weissella cibaria* 110, isolated from plaak-som, a fermented fish product from Thailand. *Appl Environ Microbiol.* 2007;73(7):2247-50. Epub 2007 Feb 9.
17. Haukioja A, Yli-Knuuttila H, Loimaranta V, Kari K, Ouwehand AC, Meurman JH, et al. Oral adhesion and survival of probiotic and other lactobacilli and bifidobacteria in vitro. *Oral Microbiol Immunol.* 2006;21(5):326-32.
18. Meurman JH, Antila H, Salminen S. Recovery of *Lactobacillus* strain GG (ATCC 53103) from saliva of healthy volunteers after consumption of yoghurt prepared with the bacterium. *Microbiol Ecol Health Dis.* 1994;7(6):295-8.
19. Yli-Knuuttila H, Snäll J, Kari K, Meurman JH. Colonization of *Lactobacillus rhamnosus* GG in the oral cavity. *Oral Microbiol Immunol.* 2006;21(2):129-31.
20. Selwitz RH, Ismail AI, Pitts NB. Dental caries. *Lancet.* 2007;369(9555):51-9.
21. Gedalia I, Ionat-Bendat D, Ben-Mosheh S, Shapira L. Tooth enamel softening with a cola type drink and rehardening with hard cheese or stimulated saliva in situ. *J Oral Rehabil.* 1991;18(6):501-6.
22. Jensen ME, Wefel JS. Effects of processed cheese on human plaque pH and demineralization and remineralization. *Am J Dent.* 1990;3(5):217-23.
23. Kang MS, Chung J, Kim SM, Yang KH, Oh, JS. Effect of *Weissella cibaria* isolates on the formation of *Streptococcus mutans* biofilm. *Caries Res.* 2006;40(5):418-25.
24. Meurman JH, Antila H, Korhonen A, Salminen S. Effect of *Lactobacillus rhamnosus* strain GG (ATCC 53103) on the growth of *Streptococcus sobrinus* in vitro. *Eur J Oral Sci.* 1995;103(4):253-8.
25. Petti S, Tarsitani G, Simonetti D'Arca A. Antibacterial activity of yoghurt against viridans streptococci in vitro. *Arch Oral Biol.* 2008;53(10):985-90. Epub 2008 Jun 9.
26. Ahola AJ, Yli-Knuuttila H, Suomanlainen T, Poussa T, Ahlström A, Meurman JH, et al. Short-term consumption of probiotic-containing cheese and its effect on dental caries risk factors. *Arch Oral Biol.* 2002;47(11):799-804.

27. Caglar E, Kavaloglu SC, Kuscu OO, Sandalli N, Holgerson PL, Twetman S. Effect of chewing gums containing xylitol or probiotic bacteria on salivary mutans streptococci and lactobacilli. *Clin Oral Investig*. 2008;11(4):425-9. Epub 2007 Jun 16.
28. Nikawa H, Makihira S, Fukushima H, Nishimura H, Ozaki K, Darmawan S, et al. *Lactobacillus reuteri* in bovine milk fermented decreases the oral carriage of mutans streptococci. *Int J Food Microbiol*. 2004;95(2):219-23.
29. Caglar E, Cildir SK, Ergeneli S, Sandalli N, Twetman S. Salivary mutans streptococci and lactobacilli levels after ingestion of the probiotic bacterium *Lactobacillus reuteri* ATCC 55730 by straws or tablets. *Acta Odontol Scand*. 2006;65(5):314-8.
30. Houle MA, Grenier D. Maladies parodontales : connaissances actuelles. Current concepts in periodontal diseases. *Médecine et maladies infectieuses*. 2003;33(7):331-40.
31. Koll-Klais P, Mändar R, Leibur E, Marcotte H, Hammarström L, Mikelsaar M. Oral lactobacilli in chronic periodontitis and periodontal health: species composition and antimicrobial activity. *Oral Microbiol Immunol*. 2005;20(6):354-61.
32. Krasse P, Carlsson B, Dahl C, Paulsson A, Nilsson A, Sinkiewicz G. Decreased gum bleeding and reduced gingivitis by the probiotic *Lactobacillus reuteri*. *Swed Dent J*. 2006;30(2):55-60.
33. Gängle MG, Holtzel A, Walter J, Jung G, Hammes WP. Characterization of reutericyclin produced by *Lactobacillus reuteri* LTH2584. *Appl Environ Microbiol*. 2000;66(10):4325-33.
34. Talarico TL, Casas IA, Chung TC, Dobrogosz WJ. Production and isolation of reuterin, a growth inhibitor produced by *Lactobacillus reuteri*. *Antimicrob Agents Chemother*. 1988;32(12):1854-8.
35. Mukai T, Asasaka T, Sato E, Mori K, Matsumoto M, Ohori H. Inhibition of binding of *Helicobacter pylori* to the glycolipid receptors by probiotic *Lactobacillus reuteri*. *FEMS Immunol Med Microbiol*. 2002;32(2):105-10.
36. Ma D, Forsythe P, Bienenstock J. Live *Lactobacillus reuteri* is essential for the inhibitory effect on tumor necrosis factor alpha-induced interleukin-8 expression. *Infect Immun*. 2004;72(9):5308-14.
37. Peña JA, Rogers AB, Ge Z, Ng V, Li SY, Fox JG, et al. probiotic *Lactobacillus* spp. Diminish *Helicobacter hepaticus*-induced inflammatory bowel disease in interleukin-10-deficient mice. *Infect Immun*. 2005;73(2):912-20.
38. Riccia DN, Bissini F, Perilli MG, Polimeni A, Trinchieri V, Amicosante G, et al. Anti-inflammatory effects of *Lactobacillus brevis* (CD2) on periodontal disease. *Oral Dis*. 2007;13(4):376-85.

39. Narva M, Halleen J, Väänänen K, Korpela R. Effects of *Lactobacillus helveticus* fermented milk on bone cells in vitro. *Life Sci.* 2004;75(14):1727-34.
40. Shimazaki Y, Shirota T, Uchida K, Yonemoto K, Kiyohara Y, Iida M, et al. Intake of dairy products and periodontal disease: the Hisayama Study. *J. Periodontol.* 2008;79(1):131-7.
41. Scully C, Greenman J. Halitosis (breath odor). *Periodontol* 2000. 2008;48:66-75.
42. Kazar CE, Michell PM, Lee AM, Stokes LN, Loesche WJ, Dewhirst FE, et al. Diversity of bacterial populations on the tongue dorsa of patients with halitosis and healthy patients. *J Clin Microbiol.* 2003;41(2):558-63.
43. Hyink O, Wescombe PA, Upton M, Ragland N, Burton JP, Tagg JR. Salivaricin A2 and the novel lantibiotic salivaricin B are encoded at adjacent loci on a 190-kilobase transmissible megaplasmid in the oral probiotic strain *Streptococcus salivarius* K12. *Appl Environ Microbiol.* 2007;73(4):1107-13. Epub 2006 Dec 28.
44. Burton JP, Chilcott CN, Moore CJ, Speiser G, Tagg JR. A preliminary study of the effect of probiotic *Streptococcus salivarius* K12 on oral malodour parameters. *J Appl. Microbiol.* 2006;100(4):754-64.
45. Burton JP, Chilcott CN, Tagg JR. The rationale and potential for the reduction of oral malodour using *Streptococcus salivarius* probiotics. *Oral Dis.* 2005;11 Suppl 1:29-31.